DERMATO	PATIENT PRESCRIPTION REFERRAL FORM: Refer via phone at: 562-402-0542 or Refer via fax at: 562-402-4629 Today's Date: Need By: E-prescribing: NCPDP: NPI:					Revised 09/16/2024	
Patient Demog sheet) Patient Nan Home Phone: Date of Birth: Address: City, State, Zip: Gender: Height:		(Provide the following or attach p Alt. Phone: SS #: Allergies: Weight:	patient demographic	Prescriber Office: (Pleas possible) Prescriber's Name NPI: Phone: Fax: Specialty: Tax ID#: DEA: Address:		ation as	
Insurance Information: (Please copy and attach the front and back of the patient's insurance card) Primary Insurance: Name of Insurer: ID#: BIN#: PCN#: Group: Phone: Secondary Insurance: Name of Insurer: ID#: BIN#: PCN#: Group: Phone:							
Medication Delivery: Infuse in MIC Patient Address Always to Physicians Office First fill to Physician's Office, refills to Patient Address Pick up at Pharmacy							
Diagnostic Information: Date of Diagnosis OR Years with Disease:							
Injection Training & Educational Needs: Specialty Pharmacy Injection Training Requested Prescriber's office will train patient OR (please choose one) Manufacturer's Patient Assistance Program Enrollment Requested Prescriber's office already trained patient Patient is already independently injecting							
Requested Clinical Information (if applicable) Does patient have a latex allergy? Yes No Has Hepatitis B been ruled out? Yes No Does patient have serious/active infection? Yes No Has TB test been performed? Yes No Patient diagnosed with Heart Failure? Yes No If Yes, Results: Additional Comments:							
DRUG NAME		STRENGTH	DIRE	ECTIONS	QUANTITY	REFILLS	
Remicade®		ade 100 mg Vial L (please initial)	INITIAL DOSE: 5mg/kg DOSE = Other	mg IV at week 0, 2, and 6	INITIAL DOSE (no refills): vials/ infusion		
			MAINTENANCE DOSE: mg IV every 8 we Other	eks	MAINTENANCE DOSE: vials/ infusion		
Skyrizi 150 mg/mL prefilled pen. Skyrizi 150 mg/mL prefilled syringe. Skyrizi 75mg/0.83 mL prefilled syringe.			INITIAL DOSE Inject 150 mg SQ at v Other	week 0,4	INITIAL DOSE (no refills): 2 boxes Other		
			MAINTENANCE DOSE: Inject 150 mg SQ eve Other	ery 12 weeks	MAINTENANCE DOSE: 1 box Other		

Call: 562.402.0542 | Fax: 562.402.4629 | Email: info@mercy-pharmacy.com

IVIG®	Specify Brand	INITIAL DOSE:	INITIAL DOSE (no refills):		
IVIG	Speeding Braina	Infuse 2 g/kg IV over 2-5 days	total of grams		
		Other infuse g/kg IV over day/s			
	Specify Brand	MAINTENANCE DOSE: Infuse 1 g/kg IV over day/s every week/s	MAINTENANCE DOSE: total of grams		
		Other infuse g/kg IV over day/s every week/s			
SCIG®	Specify Brand	Infuse g/kg SQ every week/s	total of grams		
Infliximab®	Infliximab 100 mg Vial	INITIAL DOSE: 5mg/kg DOSE = mg IV at week 0, 2, and Other	INITIAL DOSE (no refills): vials/ infusion		
		MAINTENANCE DOSE: mg IV every 8 weeks Other	MAINTENANCE DOSE: vials/ infusion		
Stelara®	Stelara 45 mg/0.5 mL prefilled syringe Stelara 90 mg/mL prefilled syringe	INITIAL DOSE: inject 45 mg SQ at week 0,4 inject 90 mg SQ at week 0,4 Other	INITIAL DOSE (no refills): 2 boxes Other		
		MAINTENANCE DOSE: inject 45 mg SQ every 12 weeks inject 90 mg SQ every 12 weeks Other	MAINTENANCE DOSE: 1 box Other		
Humira®	Plaque Psoriasis starter kit Hidradenitis Suppurativa starter kit Other	INITIAL DOSE: inject 80 mg SQ, followed by 40 mg on day 8 and 22 inject 160 mg SQ, followed by 80 mg on day 15 Other	INITIAL DOSE (no refills): 1 box Other		
		MAINTENANCE DOSE: inject 40 mg SQ every other week inject 40 mg SQ every week starting week 29 Other	MAINTENANCE DOSE: 1 box 2 boxes Other		
Renfelxis®	Renflexis 100 mg Vial	INITIAL DOSE: 5mg/kg DOSE = mg IV at week 0, 2, and 6 Other	INITIAL DOSE (no refills): vials/ infusion		
		MAINTENANCE DOSE: mg IV every 8 weeks Other	MAINTENANCE DOSE: vials/ infusion		
Tremfya®	Tremfya 100 mg/ml prefilled syringe Tremfya 100 mg/ml Pen	INITIAL DOSE: Inject 100 mg SubQ at week 0,4 Other	INITIAL DOSE (no refills): 2 boxes Other		
		Maintenance dose: Inject 100 mg SubQ every 8 weeks thereafter Other	MAINTENANCE DOSE: 1 box Other		

11515 Artesia Blvd. Ste 201, Artesia, CA 90701

Call: 562.402.0542 | Fax: 562.402.4629 | Email: info@mercy-pharmacy.com www.mercyltcpharmacy.com



Other						
	Physician Signature:		•DAW (Dispense as Written):		Date:	

Patient Support Programs: I authorize Mercy Pharmacy Group to enroll me in a company-assisted patient support program, corresponding with my prescribed therapy for purposes of receiving additional services such as, but not limited to injection training. I further authorize the release to communicate to the corresponding manufacturer the minimum necessary information about my health condition and prescription(s) to: coordinate the delivery of products and services available through the patient assistance program, aggregate de-identified data for market analysis and provide educational information regarding therapies. I understand that I may refuse t o sign this authorization and that my refusal will

not affect my ability to obtain treatment from the pharmacy. However, I will not be enrolled in the service program listed above, A copy of this authorization will be utilized with the same effectiveness as an original. Ancillary supplies provided as needed for administration

*Patient Signature: (required for participation)_Date:_•Please select if you would like the patient enrolled in a Manufacturer's Assistance Program CONFIDENTIALITY NOTICE: If you are not the intended recipient or the person responsible for delivering it to the intended recipient, you are hereby notified that you are not authorized to read, print, retain, copy or disseminate this message, any part of it, or any attachments. This facsimile message may contain information that is confidential, privileged, proprietary, or otherwise legally exempt from disclosure or use. Any disclosure or use of this facsimile message by any person other than the intended recipient or person responsible for delivering it to the intended recipient may constitute aFederal criminal offense punishable by imprisonment up to 10 years or fines up to \$250,000. If you have received this message in error, please destroy this message and any accompanying attachments in their entirety without reading the content and notify the sender immediately by telephone of the inadvertent transmission, by calling collect if located outside the calling area. There is no intent on the part of the sender to waive any right or privilege that may be attached to *

11515 Artesia Blvd. Ste 201, Artesia, CA 90701

Call: 562.402.0542 | Fax: 562.402.4629 | Email: info@mercy-pharmacy.com

www.mercyltcpharmacy.com